



IECEx Certificate of Conformity

INTERNATIONAL ELECTROTECHNICAL COMMISSION IEC Certification System for Explosive Atmospheres

for rules and details of the IECEx Scheme visit www.iecex.com

Certificate No.: **IECEx EPS 19.0052X** Page 1 of 4 Certificate history:
Status: **Current** Issue No: 1 Issue 0 (2019-05-28)
Date of Issue: 2022-06-14
Applicant: **Tissin Co., Ltd.**
201-1105, No 397, Seokcheon-ro
Ojeong-gu, Bucheon-Si, 14449
Korea, Republic of
Equipment: **Smart Valve Positioner TS900*****, TS905 ******
Optional accessory:
Type of Protection: **db, tb**
Marking: Ex db IIC T5/T6 Gb
Ex tb IIIC T100°C/T85°C Db IP66

Approved for issue on behalf of the IECEx
Certification Body:

Position:

Signature:
(for printed version)

Date:
(for printed version)

Ulrich Feike

Head of Certification



2022-06-14

1. This certificate and schedule may only be reproduced in full.
2. This certificate is not transferable and remains the property of the issuing body.
3. The Status and authenticity of this certificate may be verified by visiting www.iecex.com or use of this QR Code.



Certificate issued by:

Bureau Veritas Consumer Products Services Germany GmbH
Businesspark A96
86842 Türkheim
Germany





IECEx Certificate of Conformity

Certificate No.: **IECEx EPS 19.0052X**

Page 2 of 4

Date of issue: 2022-06-14

Issue No: 1

Manufacturer: **Tissin Co., Ltd.**
201-1105, No 397, Seokcheon-ro
Ojeong-gu, Bucheon-Si, 14449
Korea, Republic of

Manufacturing locations: **Tissin Co., Ltd.**
201-1105, No 397, Seokcheon-ro
Ojeong-gu, Bucheon-Si, 14449
Korea, Republic of

This certificate is issued as verification that a sample(s), representative of production, was assessed and tested and found to comply with the IEC Standard list below and that the manufacturer's quality system, relating to the Ex products covered by this certificate, was assessed and found to comply with the IECEx Quality system requirements. This certificate is granted subject to the conditions as set out in IECEx Scheme Rules, IECEx 02 and Operational Documents as amended

STANDARDS :

The equipment and any acceptable variations to it specified in the schedule of this certificate and the identified documents, was found to comply with the following standards

IEC 60079-0:2017 Explosive atmospheres - Part 0: Equipment - General requirements
Edition:7.0

IEC 60079-1:2014-06 Explosive atmospheres - Part 1: Equipment protection by flameproof enclosures "d"
Edition:7.0

IEC 60079-31:2022-01 Explosive atmospheres – Part 31: Equipment dust ignition protection by enclosure "t"
Edition:3.0

This Certificate **does not** indicate compliance with safety and performance requirements other than those expressly included in the Standards listed above.

TEST & ASSESSMENT REPORTS:

A sample(s) of the equipment listed has successfully met the examination and test requirements as recorded in:

Test Reports:

DE/EPS/ExTR19.0047/00

DE/EPS/ExTR19.0047/01

Quality Assessment Report:

DE/EPS/QAR18.0004/03



IECEx Certificate of Conformity

Certificate No.: **IECEx EPS 19.0052X**

Page 3 of 4

Date of issue: 2022-06-14

Issue No: 1

EQUIPMENT:

Equipment and systems covered by this Certificate are as follows:

Smart valve positioner controls the valve stroke in response to an input signal of 4~20mA DC from the control panel, DCS or calibrator.

Smart valve positioner is composed of body and cover, made of aluminum alloy (TS900) or made of stainless steel (TS905). There is one flameproof compartment with electronic board, terminals inside.

Connection can be made by certified cable glands with NPT1/2 or M20.

Electrical data:

Alarm signal, Feedback signal: 9 ~ 30V DC

Input signal: 4 ~ 20mA.

SPECIFIC CONDITIONS OF USE: YES as shown below:

When installed in explosive gas atmosphere, separate cable gland with marking of Ex db IIC Gb in accordance with IEC 60079-0:2017 and EN 60079-1:2014 shall be incorporated.

When installed in combustible dust atmosphere, separate cable gland with marking of Ex tb IIIC Db in accordance with IEC 60079-0:2017 and IEC 60079-31:2022 shall be incorporated.

Contact the original manufacturer for the information of flameproof joint dimension and fasteners (A2-70).

The relation between temperature class, ambient temperature and process medium temperature is following.

Temperature class	Ambient temperature
-------------------	---------------------

T6	T85 °C	(-40~+70) °C
----	--------	--------------

T5	T100 °C	(-40~+80) °C
----	---------	--------------



IECEx Certificate of Conformity

Certificate No.: **IECEx EPS 19.0052X**

Page 4 of 4

Date of issue: 2022-06-14

Issue No: 1

DETAILS OF CERTIFICATE CHANGES (for issues 1 and above)

Addition of stainless steel model TS905